
## LEGEND

- 1) EXIST. HMA PAVEMENT, 3"(±)
- (1A) EXIST. HMA PAVEMENT, 1"(±)
- (2) EXIST. P.C.C. BASE COURSE, 10"(±)
- (2A) EXIST. HMA BASE COURSE, 10"(±)
- (3) EXIST. P.C.C. SURFACE
- (4) EXIST. SUBBASE GRANULAR MATERIAL, 4"(±)
- (5) EXIST. B-6.24 CURB & GUTTER (TO BE REMOVED)
- (5A) EXIST. SIDEWALK
- (6) EXIST. HMA SHOULDER
- (7) EXIST. AGGREGATE SHOULDER
- (8) EXIST. RAISED/CORRUGATED P.C.C. MEDIAN
- (9) EXIST. / PROP. GROUND (SEE CROSS SECTIONS)
- (10) PROP. HMA SURFACE REMOVAL, 1"
- (11) PROP. POLYMERIZED HMA SURFACE COURSE, MIX "F", N90, 134"
- (12) PROP. LEVELING BINDER (MM), N70,  $1\frac{3}{4}$ "
- (13) PROP. POLYMERIZED LEVELING BINDER (MM), N50, IL-4.75, 3/4"
- (14) PROP. WIDENING: P.C.C. BASE COURSE, 10"
- (4A) PROP. AGGREGATE SUBGRADE, 12"
- (15) PROP. SUBBASE GRAN. MATERIAL, TYPE B, 4"
- (5A) PROP. SUBBASE GRAN. MATERIAL, TYPE C, 4"
- (16) PROP. B-6.24 CURB & GUTTER
- (17) PROP. HMA SHOULDER, 8"
- (18) PROP. AGGREGATE SHOULDER, TYPE B, 6"
- (19) PROP. SIDEWALK, 5"
- PROP. DRILL AND GROUT #8 TIE BAR, 24" LONG. (24" C-C). COST INCLUDED IN PCC BASE COURSE
- (21) PROP. DRILL AND GROUT #6 TIE BAR, 24" LONG. (24" C-C). COST INCLUDED IN PROP. CURB & GUTTER



PAVEMENT/MEDIAN REMOVAL



**EXISTING TYPICAL SECTION** 

COTTAGE GROVE AVE. STA. 116 + 20 TO 121 + 50

8′& VARIES

24' & VARIES

1.5% & VARIES

¢ COTTAGE GROVE AVE.

24' & VARIES

1.5% & VARIES

PROPOSED TYPICAL SECTION **COTTAGE GROVE AVE** STA. 116 + 20 TO 121 + 50

NOTES:

-8′ & VARIES

EXIST. CURB & GUTTER - 116+20 TO 116+65 RT. & LT. PROP. B.6-24 CURB & GUTTER 116+20 TO 117+50.

SUBBASE GRAN. MATERIAL, TYPE C TO BE PLACED UNDER PROP. HMA SHOULDERS ADJACENT TO ROADWAY WIDENING.

CLASS C PATCHES TO BE PLACED ON COTTAGE GROVE AVE.

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION
NAME	DATE	TELINOIS DEL ANTMENT OF TRANSPORTATIO
		EXISTING AND PROPOSED TYPICAL SECTIONS
		COTTAGE GROVE AVE. AT US 30
		SCALE: VERT. DRAWN BY
		DATE . CHECKED BY

REV. 1